

## 【常見材質建議參數】

圖片	材質		卡匣	強度%	速度%	次數
	鋁合金	雕	LC50	90	10	1
			LC35	100	10	1
	玻璃	雕	LC50	70	10	1
			LC35	X		
	陶瓷	雕	LC50	90	10	1
			LC35	100	10	1
	頁岩	雕	LC50	80	20	1
			LC35	90	20	1

	水泥	雕	LC50	100	15	1
			LC35	100	10	1
	粉體塗裝鋁合金	雕	LC50	90	6	1
			LC35	100	6	1
	不鏽鋼	雕	LC50	100	2	1
			LC35	X		
	木頭	雕	LC50	40	25	1
			LC35	50	25	1

	珠母貝	雕	LC50	90	6	1
			LC35	100	6	1
	香蕉/檸檬	雕	LC50	80	10	1
			LC35	90	10	1
	0.5mm 紙張	雕	LC50	40	15	1
			LC35	50	15	1
		切	LC50	100	8	1
			LC35	100	5	1
	3mm 密迪板	雕	LC50	40	25	1
			LC35	50	25	1
		切	LC50	100	5	8
			LC35	100	5	10

	1mm 布料	雕	LC50	30	15	1
			LC35	40	15	1
		切	LC50	100	10	1
			LC35	100	5	2
	1mm 皮革	雕	LC50	40	15	1
			LC35	50	15	1
		切	LC50	100	10	4
			LC35	100	5	5
	3mm 壓克力	雕	LC50	40	20	1
			LC35	50	20	1
		切	LC50	100	4	7
			LC35	100	3	8
	2mm 南洋檜木	雕	LC50	40	25	1
			LC35	50	25	1
		切	LC50	100	5	4
			LC35	100	5	6